Attorney Docket No.: 661005.90268

I hereby certify that this correspondence is being electronically transmitted to the United States Patent and Trademark Office on the date set forth below.

Date of Signature

and Transmission December 7, 2006

Richard T. Roche. Registration No. 38 599

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number:

7,105,177 B1

Issued:

Sep. 12, 2006

Name of Patentees:

Michael C. Barney et al.

Title of Invention: Antimicrobial Diapers and Wet Wipes

Request for Certificate of Correction of Patent for PTO Mistake (37 C.F.R. § 1.322(a))

Certificate of Corrections Branch Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir or Madam:

- (1) Attached is PTO/SB/44 (also Form PTO-1050).
- (2) The exact page and line number where the errors are shown correctly in the application file are:
- (a) For the error at column 3, line 50 wherein "bateria" should be -- bacteria--, please see page 5, line 20 of the application as filed.
- (b) For the error at column 6, line 50 wherein "2500°" should be \sim 250°--, please see page 10, line 17 of the application as filed

(3) Please send the certificate to:

Richard T. Roche Quarles & Brady LLP 411 East Wisconsin Ave. Suite 2040 Milwaukee. WI 53202

(4) Although no fees are believed due, please charge any fees due to Deposit Account

No. 17-0055.

Respectfully submitted,

Michael C. Barney et al. Patentees

Dated: December 7, 2006

Richard T. Roche Registration No. 38,599 Quarles & Brady LLP 411 East Wisconsin Ave. Suite 2040 Milwaukee, WI 53202 (414) 277-5805

6009651

Approved for use through 04/30/2007. OMB 0651-0033 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Offices, U.S. DEPART MENT OF COMMENCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

ATENT NO. : 7,105,177 B1	Page 1 of 1
PPLICATION NO.: 09/693,123	
SSUE DATE Sep. 12, 2006	
VVENTOR(S) : Michael C. Barney et al.	
It is certified that an error appears or errors appear in the above-identified patent and shereby corrected as shown below.	that said Letters Patent
Column 3, line 50, "bateria" should be bacteria	
Column 6, line 50, "2500°" should be 250°	

MAILING ADDRESS OF SENDER (Please do not use customer number below): Richard T. Roche

Richard T. Roche Quarles & Brady LLP 411 E. Wisconsin Ave. Milwaukee, WI 53202

This collection of information is required by 37 FER 1322 1332 and 1324. The information is required to obtain or treat a benefit by the possible while to title (controlled to the controlled to controlled to completed application from to the USPTO. Time will very depending upon the individual case, Amy of the controlled to the controlled application from to the USPTO. Time will very depending upon the individual case, Amy of the controlled to the controlled to complete dapplication from to the USPTO. Time will very depending upon the individual case, Amy of the controlled to the co

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.